

CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

University of Dayton Research Institute Coatings, Corrosion and Erosion Group 2700 D Street Building 1661, Room C-110 WPAFB, OH 45433

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document. The current scope of accreditation can be verified at <u>www.anab.org</u>.



 Λ



Jason Stine, Vice President

Expiry Date: 04 December 2026 Certificate Number: L1189-1

> This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

University of Dayton Research Institute Coatings, Corrosion and Erosion Group

2700 D Street Building 1661, Room C-110 WPAFB, OH 45433 Christopher Joseph 937 656 9565 Christopher.joseph.4.ctr@us.af.mil

TESTING

Valid to: December 4, 2026

Certificate Number: L1189-1

Mechanical

Specific Tests and/or Properties Measured	Specifica <mark>tion, Standard,</mark> Method, or <mark>Test Technique</mark>	Items, Materials or Product Tested	Key Equipment or Technology
	ASTM		
	D4587;		
	ASTM G154;		
	ISO 16474-3	Coated Panel-Dry Film	
Accelerated Weathering UV Condensation	– (Method A - Cycle		
	1), (Method C -		
	Cycle 4)		
	AMS 3095A;		
	ISO 11507		
	ASTM G 155;		
Accelerated Weathering	MIL-PRF-85285 (par	Coated Panel-Dry Film	
Xenon-Arc	4.6.9); MIL-PRF-32239		
	(par		
	4.6.17.1)		
Adhesion, Tape	ASTM D 3359;		
	ISO 2409		
	AMS		
	3095A; ISO	Coated Panel-Dry Film	0 - 5 Range
	2409;		
	ISO 2808;		
	ISO 3270	UU	
Adhesion, Tensile	ASTM D4541	Coated Panel-Dry Film	Up to 2,400 psi





Mechanical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Pr <mark>oduct Tested</mark>	Key Equipment or Technology
Adhesion, Wet Tape	MIL-PRF-85285 (par 4.6.6); MIL-PRF-32239 (par 4.6.13); MIL-PRF-23377 (par 4.5.4); FTMS141-Method 6301	Coated Panel-Dry Film	0 - 5 A Range
Chipping Resistance	ASTM D3170	Coated Panel-Dry Film	
Cleanability / Washability	MIL-PRF-85285 (par 4.6.13); MIL-PRF-32239 (par 4.6.23) AMS 3095A; MIL-PRF-85285 (para 3.9.3); MIL-PRF-85570 (para 4.5.4)	Coated Panel-Dry Film	Up to 100%
Color (CIELAB)	AST <mark>M D 2244</mark>	Coated Panel-Dry Film	400-700 nm
Corrosion, Filiform	ASTM D 2803; NAS 1534 AMS 3095A; ISO 4623-2; ISO 4628-10	Coated Panel-Dry Film	
Corrosion, Cyclical	GMW14872	Coated Panel-Dry Film	
Corrosion, Prohesion	ASTM G 85 Annex A5	Coated Panel-Dry Film	
Corrosion, Salt Fog	ASTM B117; ISO 9227 - NSS Test Only	Coated Panel-Dry Film	
Density (wt/gallon cup)	ASTM D1475	Liquid Paint	
Determination of Conversion Coat Uptake	ASTM B767	Coated Panel-Dry Film	
Dry Film Thickness	ASTM D7901	Coated Panel-Dry Film	(0.2 to 60) mils
Dry Time	MIL-PRF-32239 (para 3.5.4) AMS 3095A; ISO 3270; ISO 4618; ISO 9117-1; ISO 9117-3; ISO 3678	Coated Panel	





Mechanical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Fluid Resistance, Jet Fuel	MIL-PRF-32239 (par 4.6.16c); MIL-PRF-85285 (par 4.6.8)	Coated Panel-Dry Film	
Fluid Resistance, Hydraulic Fluid	MIL-PRF-32239 (par 4.6.16b); MIL-PRF-85285 (par 4.6.8)	Coated Panel-Dry Film	
Fluid Resistance, Lubricating Oil	MIL-PRF-32239 (par 4.6.16a); MIL-PRF-85285 (par 4.6.8)	Coated Panel-Dry Film	
Fluid Resistance, Water	MIL-PRF-32239 (par 4.6.16d); ISO 2812-2 AMS 3095A; ISO 4628-1; ISO 4628-2; ISO 2812-1; ISO 3696	Coated Panel-Dry Film	
Fluid Resistance, Skydrol	MIL-PRF-32239 (par 4.6.16e); ISO 2812-1 ISO 2812-1 AMS 3095A; ISO 2812-1; ISO 4628-1; ISO 4628-2	Coated Panel-Dry Film	
Viscosity	ASTM D1200	Liquid Sample	
Impact Elongation	ASTM D6905; ISO 6272-1; MIL-PRF-85285 (par 4.6.7.1); MIL-PRF-32239 (par 4.6.15.1); MIL-PRF-23377 (par 4.5.5)	Coated Panel-Dry Film	
Gloss	ASTM D523; ISO 2813	Coated Panel-Dry Film	
Hardness, Pencil	ASTM D3363	Coated Panel-Dry Film	6B-6H
Heat Resistance / Heat Stability	MIL-PRF-85285 (par 4.6.10); MIL-PRF-32239 (par 4.6.21) AMS 3095A	Coated Panel-Dry Film	





Mechanical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Humidity Resistance	MIL-PRF-85285 (par 3.8.3); MIL-PRF-32239 (par 4.6.18)	Coated Panel-Dry Film	
Flexibility, Cylindrical/Conical Mandrel Bend	MIL-PRF-85285 (par 4.6.7.2); MIL-PRF-32239 (par 4.6.15.2); ASTM D522; ISO 1519; ISO 6860 AMS 3095A	Coated Panel-Dry Film	
Opacity	ASTM D2805	Leneta Draw Down Cards – Dry Film	
Pinhole Detection	ASTM G62	Coated Panel-Dry Film	
AMS 3095A Penetration	AMS 309 <mark>5A; ISO</mark> 1518-1	Coated Panel-Dry Film	
Rain Erosion Resistance	AM <mark>S-C-83231</mark> CLG-LP-051	Coated Airfoil or Test Panel – Dry Film	
Solvent Resistance	MIL-PRF-85285 (par 4.6.11); MIL-PRF-32239 (par 4.6.22)	Coated Panel-Dry Film	
Strippability	MIL-PRF-85285 (par 4.6.14); MIL-PRF-32239 (par 4.6.24) AMS 3095A; SAE MA 4872	Coated Panel-Dry Film	
Taber Abrasion	ASTM D4060	Coated Panel-Dry Film	
AMS 3095A- Quality (Examination of Received Coatings)	AMS 3095A; ISO 1513; ISO 4618	Liquid Sample	
AMS 3095A - Application and Finish	AMS 3095A; ISO 3270	Coated Panel	

Note:

1. This scope is formatted as part of a single document including Certificate of Accreditation No. L1189-1.

2. In addition to the requirements of ISO/IEC 17025:2017, the Coatings Laboratory Manual also meets the requirements of the SAE AS5505 (Requirements for Accreditation of Testing Laboratories for Organic Coatings) quality system.

3. References to all MIL-PRF documents are the latest version of that specific document.

Jason Stine, Vice President





www.anab.org